## Amendments to the Claims:

This following listing of claims will replace all prior versions, and listings of claims in the application.

## **Listing of Claims**:

- 1-11. (Cancelled)
- 12. (Currently Amended) A method for manipulating a sample fluid, comprising:
- i) aspirating said sample <u>fluid</u> into a first dispensing tip having a first and a second end, said second end being sealable; <u>followed by</u>
- ii) sealing said sealable end of said first dispensing tip to produce a sealed dispensing tip containing said fluid, and
- iii) inserting a second dispensing tip into said first end of said sealed dispensing tip containing said fluid, and aspirating a portion or all of said sample fluid within from said sealed dispensing tip into said second dispensing tip, or
- iv) withdrawing a diluent or reagent into said second dispensing tip and dispensing said diluent or said reagent into said sealed dispensing tip containing said sample fluid to form a mixture with said sample fluid.
- 13. (Previously Presented) The method of claim 12, wherein in said step of sealing (step ii), said sealable end of said first dispensing tip is sealed by compression.

- 14. (Previously Presented) The method of claim 12, wherein in said step of sealing (step ii), said sealable end of said first dispensing tip is sealed by heat.
- 15. (Previously Presented) The method of claim 12, wherein in said step of sealing (step ii), said sealable end of said first dispensing tip is sealed with a cap, or by plugging with a material.
- 16. (Original) The method of claim 12, wherein the steps are performed by a chemistry analyser apparatus.
  - 17. (Original): The method of claim 12, wherein the steps are manually performed.
- 18. (Currently Amended) The method of claim 12, wherein after said step of aspirating (step i), and before said step of sealing (step ii), said sample fluid is displaced from said second end toward said first end of said first dispensing tip.

## 19. (Cancelled)

20. (Currently Amended) The method of claim 12 30, wherein said step of withdrawing (step iv) is followed by removing said mixture into said second dispensing tip and dispensing said mixture into said sealed first dispensing tip (step v).

- 21. (Cancelled)
- 22. (Currently Amended) The method of claim 20, wherein said step of removing said sample mixture (step v) is repeated one or more times.
  - 23-28. (Cancelled)
  - 29. (New) The method of claim 12, wherein the method comprises steps i), ii) and iii).
  - 30. (New) The method of claim 12, wherein the method comprises steps i), ii) and iv).
  - 31. (New) A method for manipulating a fluid, comprising:
  - i) aspirating said fluid into a first dispensing tip having a first and a second end, said second end being sealable by compression, followed by
  - ii) sealing said sealable end of said first dispensing tip by compression to produce a sealed dispensing tip containing said fluid, and
  - iii) inserting a second dispensing tip into said first end of said sealed dispensing tip containing said fluid, and aspirating a portion or all of said fluid from said sealed dispensing tip into said second dispensing tip, or

Docket No. 31773-CIP1

- iv) withdrawing a diluent or reagent into said second dispensing tip and dispensing said diluent or said reagent into said sealed dispensing tip containing said fluid to form a mixture with said fluid.
- 32. (New) The method of claim 31, wherein the method comprises steps i), ii) and iii).
- 33. (New) The method of claim 31, wherein the method comprises steps i), ii) and iv).
- 34. (New) The method of claim 31, wherein the steps are performed by a chemistry analyser apparatus.
  - 35. (New) The method of claim 31, wherein the steps are manually performed.
- 36. (New) The method of claim 31, wherein after said step of aspirating (step i), and before said step of sealing (step ii), said fluid is displaced from said second end toward said first end of said first dispensing tip.
- 37 (New) The method of claim 33, wherein said step of withdrawing (step iv) is followed by removing said mixture into said second dispensing tip and dispensing said mixture into said sealed first dispensing tip (step v).

38. (New) The method of claim 37, wherein said step of removing said mixture (step v) is repeated one or more times.